Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3379087	@rlad<"20001130" @ad<"20001130"	US-PGPUB; USPAT	OR	ON	2005/02/04 15:33
L2	28	L1 and database near3 (style$1sheet$1 xsl css)	US-PGPUB; USPAT	OR	ON	2005/02/04 15:39
L3	1	L1 and query$4 near3 database near3 (style$1sheet$1 xsl css)	US-PGPUB; USPAT	OR	ON	2005/02/04 15:41
S1	3378502	@rlad<"20001130" @ad<"20001130"	US-PGPUB; USPAT	OR	ON	2005/02/01 18:29
S2	1098	S1 and 715/513.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/01 18:29
S3	324	S1 and 715/517.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/01 18:29
S4	200	S1 and 715/523.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/01 18:29
S5	2951	S1 and 707/3.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/01 18:30
S6	630	S1 and 707/7.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/01 18:30
S7	4	bayeh-e$.in.	US-PGPUB; USPAT	OR	ON	2005/02/01 18:47
S8	2	("5890175"|"5987480").PN.	US-PGPUB; USPAT	OR	ON	2005/02/01 19:16
S9	13	nazem.in.	US-PGPUB; USPAT	OR	ON	2005/02/01 19:09
S10	0	"038512".an.	US-PGPUB; USPAT	OR	ON	2005/02/01 19:09
S11	3	"038512".ap.	US-PGPUB; USPAT	OR	ON	2005/02/01 19:16
S12	3	\038512.ap.	US-PGPUB; USPAT	OR	ON	2005/02/01 19:10
S13	3	"038512".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 19:16
S14	3	polygon.as. and voorhees.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 19:18

S15	967	voorhees.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 19:18
S16	3	voorhees-jacques.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 12:29
S17	3378502	@rlad<"20001130" @ad<"20001130"	US-PGPUB; USPAT	OR	ON	2005/02/02 12:29
S18	668	705/27.ccls. and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 12:54
S22	3378502	@rlad<"20001130" @ad<"20001130"	US-PGPUB; USPAT	OR	ON	2005/02/02 16:22
S24	3	request$4 same match$4 near "default value"	US-PGPUB; USPAT	OR	ON	2005/02/02 17:04
S25	1	S24 and S22	US-PGPUB; USPAT	OR	ON	2005/02/02 17:04
S26	6	request$4 same match$4 near3 "default value"	US-PGPUB; USPAT	OR	ON	2005/02/02 17:04
S27	4	request$4 same match$4 near3 "default value" and S22	US-PGPUB; USPAT	OR	ON	2005/02/02 17:07
S28	4	S22 and request$4 same match$4 near3 "default value"	US-PGPUB; USPAT	OR	ON	2005/02/02 17:05
S29	85	match$4 near3 "default value" and S22	US-PGPUB; USPAT	OR	ON	2005/02/02 17:11
S30	668	705/27.ccls. and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 17:35
S31	50	705/27.ccls. and S22 and request$4 same default	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 17:36

S32	7	705/27.ccls. and S22 and request$4 same default adj value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 17:37
S33	32	705/27.ccls. and S22 and default adj value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 17:39
S34	2	705/27.ccls. and S22 and default adj value and catalog same template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 17:42
S35	61	S22 and default adj value and catalog same template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 17:39
S36	61	S22 and default adj value and catalog same template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 17:43
S37	10050	S22 and (choose$4 select$4) with (style$1sheet$1 xsl css template)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 17:44
S38	290	S22 and ((choose$4 select$4) with (style$1sheet$1 xsl css template)) same attributes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 17:45
S39	154	S22 and ((choose$4 select$4) with (style$1sheet$1 xsl css template)) with attributes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 17:45
S40	154	S22 and ((choose$4 select$4) with (style$1sheet$1 xsl css template)) with attributes	US-PGPUB; USPAT	OR	ON	2005/02/02 17:46

S41	72	S22 and ((choose$4 select$4) near3 (style$1sheet$1 xsl css template)) with attributes	US-PGPUB; USPAT	OR	ON	2005/02/04 15:33
S42	5	S22 and ((choose$4 select$4) near3 (style$1sheet$1 (Style adj sheet) xsl css)) with attributes	US-PGPUB; USPAT	OR	ON	2005/02/02 17:58
S43	25	S22 and ((choose$4 select$4) near3 (style$1sheet$1 (Style adj sheet) xsl css)) same attributes	US-PGPUB; USPAT	OR	ON	2005/02/02 18:12
S44	0	S22 and (search$4 quer$4) with "default adj value"	US-PGPUB; USPAT	OR	ON	2005/02/02 18:13
S45	1984	S22 and (search$4 quer$4) with (default adj value)	US-PGPUB; USPAT	OR	ON	2005/02/02 18:13